Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4078	substrate and (waveguide same grating same coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L2	142	L1 and (angl\$4 near2 (tip or fiber))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L3	1546	(L1 or L2) and (waveguide adj grat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L4	157	(L1 or L2) and (waveguide adj grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L5	40	L2 and (waveguide adj grat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L6	9	L2 and (waveguide adj grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L7	9	(angl\$4 near2 (tip or fiber)) and (waveguide adj grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L8	123	(angl\$4 near2 (tip or fiber)) and (grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L9	· 122	(angl\$4 near2 (fiber)) and (grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L10	9	(angl\$4 near2 (fiber)) and (waveguide adj grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L11	103	(angl\$4 near2 (fiber)) and (waveguide adj grat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L12	123	(angl\$4 near2 (tip or fiber)) and (grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32

			,			
L13	103	(angl\$4 near2 (fiber)) and (waveguide adj grat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L14	122	(L12 or L13) and substrate	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L15	4084	385/37	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L16	827	L15 and substrate and (waveguide same grating same coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L17	293	L15 and (angl\$4 near2 (tip or fiber))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L18	33	L16 and L17	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L19	41	L15 and (angl\$4 near2 (tip or fiber)) and (grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L20	4078	substrate and (waveguide same grating same coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L21	142	L20 and (angl\$4 near2 (tip or fiber))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L22	1546	(L20 or L21) and (waveguide adj grat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L23	157	(L20 or L21) and (waveguide adj grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L24	40	L21 and (waveguide adj grat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32

L25	9	(angl\$4 near2 (tip or fiber)) and (waveguide adj grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L26	123	(angl\$4 near2 (tip or fiber)) and (grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L27	122	(angl\$4 near2 (fiber)) and (grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L28	9	(angl\$4 near2 (fiber)) and (waveguide adj grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L29	103	(angl\$4 near2 (fiber)) and (waveguide adj grat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L30	123	(angl\$4 near2 (tip or fiber)) and (grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L31	103	(angl\$4 near2 (fiber)) and (waveguide adj grat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L32	4084	385/37	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L33	827	L32 and substrate and (waveguide same grating same coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L34	293	L32 and (angl\$4 near2 (tip or fiber))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L35	33	L33 and L34	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L36	9	L21 and (waveguide adj grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32

L37	41	L32 and (angl\$4 near2 (tip or fiber)) and (grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L38	122	(L30 or L31) and substrate	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L39	0	(optic\$4 near fiber) and (grating near substrate) and (reflect\$4 near tip)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L40	8	(optic\$4 near fiber) and (grating near coupl\$4) and (reflect\$4 near tip)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L41	2	(optic\$4 near fiber) and (grating near coupl\$4) and (reflect\$4 near tip) and (385/37)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L42	19	(optic\$4 near fiber) and (grating near substrate) and (coupling near angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L43	458795	(optic\$3 fiber near angled near (end or tip)) and coupl\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L44	29	(optic\$3 near fiber near angled near (end or tip)) and coupl\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L45	2085	(optic\$4 near fiber) and (grating near coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L46	31	(optic\$4 near fiber) and (grating near coupl\$4) and (fiber near angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L47	6	(optic\$4 near fiber) and (grating near substrate) and (fiber near angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L48	46	(optic\$4 near fiber) and (grating near substrate) and (reflect\$4 near angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32

L49	609	(optic\$4 near fiber) and (grating near coupl\$4) and (385/37)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L50	19	(optic\$4 near fiber) and (grating near coupl\$4) and (385/38)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L51	178	waveguide near grating near coupler	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L52	104	L51 and (optic\$4 near fiber)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L53	2	L51 and 385/92	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L54	3	L51 and 385/38	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L55	3	L51 and (angle\$2 near (tip or fiber))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L56	12	L52 and ("45" near degree)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L57	2	"20040240788"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L58	2	"5657407".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L59	2	"6289144".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L60	7	"6144480"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32

L61	0	"6144480.pn."	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L62	2	"6144480".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L63	2	"5513196".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L64	2	"5444802".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L65	2	"4776661".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L66	2	"6430349".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L67	2	"6277330".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:32
L68	11	(US-20020106156-\$ or US-20030010904-\$ or US-20030081902-\$ or US-20040202428-\$ or US-20040240788-\$).did. or (US-5488681-\$ or US-5657407-\$ or US-5724463-\$ or US-6136611-\$ or US-6289144-\$).did. or (DE-19507945-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/09/06 11:32
L69	5	L68 and (polar\$8 or "PMF")	US-PGPUB; USPAT; DERWENT	OR	ON	2005/09/06 11:32
L70	2796	((polarization adj maintaining adj fiber) or "PMF")	US-PGPUB; USPAT; DERWENT	OR	ON	2005/09/06 11:32
L71	1	L70 and (waveguide adj grating adj coupler)	US-PGPUB; USPAT; DERWENT	OR	ON	2005/09/06 11:32
L72	1	L70 and (waveguide near grating near coupler)	US-PGPUB; USPAT; DERWENT	OR	ON	2005/09/06 11:32

172	02	170 and (LIC DCDUD	OB	ON	2005/00/06 11:22
L73	92	L70 and (waveguide near2 coupler)	US-PGPUB; USPAT; DERWENT	OR	ON	2005/09/06 11:32
L74	33	L70 and (grating near2 coupler)	US-PGPUB; USPAT; DERWENT	OR	ON	2005/09/06 11:32
L75	7	L73 and L74	US-PGPUB; USPAT; DERWENT	OR	ON	2005/09/06 11:32
L76	2593	385/27	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:36
L77	2505	385/12	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:36
L78	1559	385/50	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/06 11:36
S1	4039	substrate and (waveguide same grating same coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/31 14:20
S2	140	S1 and (angl\$4 near2 (tip or fiber))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/31 14:20
S3	1529	(S1 or S2) and (waveguide adj grat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/10 13:36
S4	156	(S1 or S2) and (waveguide adj grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/10 13:36
S5	8	S2 and (waveguide adj grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/10 13:37
S6	39	S2 and (waveguide adj grat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/10 13:36
S7	8	(angl\$4 near2 (tip or fiber)) and (waveguide adj grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/10 13:40

S8	122	(angl\$4 near2 (tip or fiber)) and (grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO;	OR .	ON	2005/08/31 14:20
			DERWENT			
S9	121	(angl\$4 near2 (fiber)) and (grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/10 13:41
S10	8	(angl\$4 near2 (fiber)) and (waveguide adj grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/10 13:41
S11	100	(angl\$4 near2 (fiber)) and (waveguide adj grat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/10 13:41
S12	122	(angl\$4 near2 (tip or fiber)) and (grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/15 13:10
S13	101	(angl\$4 near2 (fiber)) and (waveguide adj grat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/15 13:10
S14	120	(S12 or S13) and substrate	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/15 13:10
S15	4071	385/37	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/31 14:19
S16	824	S15 and substrate and (waveguide same grating same coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/31 14:20
S17	293	S15 and (angl\$4 near2 (tip or fiber))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/31 14:20
S18	33	S16 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/31 14:20
S19	41	S15 and (angl\$4 near2 (tip or fiber)) and (grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/31 14:21

S20	4073	substrate and (waveguide same grating same coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:54
S21	142	S20 and (angl\$4 near2 (tip or fiber))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:54
S22	1544	(S20 or S21) and (waveguide adj grat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:54
S23	157	(S20 or S21) and (waveguide adj grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:54
S24	40	S21 and (waveguide adj grat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:54
S25	9	S21 and (waveguide adj grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:54
S26	9	(angl\$4 near2 (tip or fiber)) and (waveguide adj grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:54
S27	123	(angl\$4 near2 (tip or fiber)) and (grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:54
S28	122	(angl\$4 near2 (fiber)) and (grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:54
S29	9	(angl\$4 near2 (fiber)) and (waveguide adj grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:54
S30	103	(angl\$4 near2 (fiber)) and (waveguide adj grat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:54
S31	123	(angl\$4 near2 (tip or fiber)) and (grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:54

S32	103	(angl\$4 near2 (fiber)) and	US-PGPUB;	OR	ON	2005/09/01 15:54
JJ2	103	(waveguide adj grat\$4)	USPAT; EPO; JPO; DERWENT	J.	3. 1	2003/03/01 13:31
S33	122	(S31 or S32) and substrate	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:54
S34	4071	385/37	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:54
S35	824	S34 and substrate and (waveguide same grating same coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:54
S36	293	S34 and (angl\$4 near2 (tip or fiber))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:54
S37	33	S35 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:54
S38	41	S34 and (angl\$4 near2 (tip or fiber)) and (grat\$4 adj coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:54
S39	0	(optic\$4 near fiber) and (grating near substrate) and (reflect\$4 near tip)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:57
S40	8	(optic\$4 near fiber) and (grating near coupl\$4) and (reflect\$4 near tip)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 16:29
S41	2	(optic\$4 near fiber) and (grating near coupl\$4) and (reflect\$4 near tip) and (385/37)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:56
S42	19	(optic\$4 near fiber) and (grating near substrate) and (coupling near angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:58
S43	458330	(optic\$3 fiber near angled near (end or tip)) and coupl\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:58

S44	29	(optic\$3 near fiber near angled near (end or tip)) and coupl\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 15:58
S45	2084	(optic\$4 near fiber) and (grating near coupl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 16:28
S46	31	(optic\$4 near fiber) and (grating near coupl\$4) and (fiber near angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 16:30
S47	6	(optic\$4 near fiber) and (grating near substrate) and (fiber near angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 16:30
548	. 46	(optic\$4 near fiber) and (grating near substrate) and (reflect\$4 near angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 16:30
S49	608	(optic\$4 near fiber) and (grating near coupl\$4) and (385/37)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 16:30
S50	19	(optic\$4 near fiber) and (grating near coupl\$4) and (385/38)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 16:30
S51	178	waveguide near grating near coupler	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 16:31
S52	104	S51 and (optic\$4 near fiber)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 16:31
S53	12	S52 and ("45" near degree)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 18:10
S54	2	S51 and 385/92	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 16:32
S55	3	S51 and 385/38	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 16:32

S56	3	S51 and (angle\$2 near (tip or fiber))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 16:32
S57	2	"20040240788"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 18:12
S58	2	"5657407".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 18:16
S59	2	"6289144".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 18:17
S60	7	"6144480"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 18:17
S61	0	"6144480.pn."	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 18:17
S62	2	"6144480".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 18:18
S63	2	"5513196".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 18:23
S64	2	"5444802".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 18:29
S65	2	"4776661".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 18:32
S66	2	"6430349".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 18:33
S67	2	"6277330".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 18:33

S68	11	(US-20020106156-\$ or US-20030010904-\$ or US-20030081902-\$ or US-20040202428-\$ or US-20040240788-\$).did. or (US-5488681-\$ or US-5657407-\$ or US-5724463-\$ or US-6136611-\$ or US-6289144-\$).did. or (DE-19507945-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/09/06 10:23
S69	5	S68 and (polar\$8 or "PMF")	US-PGPUB; USPAT; DERWENT	OR	ON	2005/09/06 10:25
S70	2796	((polarization adj maintaining adj fiber) or "PMF")	US-PGPUB; USPAT; DERWENT	OR	ON	2005/09/06 10:25
S71	1	S70 and (waveguide adj grating adj coupler)	US-PGPUB; USPAT; DERWENT	OR	ON	2005/09/06 10:27
S72	1	S70 and (waveguide near grating near coupler)	US-PGPUB; USPAT; DERWENT	OR	ON	2005/09/06 10:27
S73	92	S70 and (waveguide near2 coupler)	US-PGPUB; USPAT; DERWENT	OR	ON	2005/09/06 10:27
S74	33	S70 and (grating near2 coupler)	US-PGPUB; USPAT; DERWENT	OR	ON	2005/09/06 10:27
S75	7	S73 and S74	US-PGPUB; USPAT; DERWENT	OR	ON	2005/09/06 10:27